

1. COMPANY AND PRODUCT IDENTIFICATION

Company: Choice Brands Adhesives Supplier: Mule-Hide Products Co., Inc.

666 Redna Terrace 1910 Prince Hall Drive Cincinnati, OH 45215 Beloit, WI 53511

Emergency Contact Number: 800-424-9300 (CHEMTREC) (800) 786-1492

Information Telephone Number: 513-772-1234

Product Name: Mule-Hide Acrylic water based bonding adhesive

Product use: Adhesive


General description: Synthetic resin based product in water

2. HAZARDS IDENTIFICATION

GHS Signal Word: WARNING!











Suspected of Causing Cancer

Emergency overview: Suspected of causing cancer.

Contact with this material can cause irritation to the skin, eyes and mucous membranes.

Potential health effects

Eyes Direct eye contact with the product may cause irritation

Skin Prolonged or repeated contact with liquid product may cause irritations and dermatitis.

Inhalation Exposure to vapors in poorly ventilated areas may cause irritation of nose, throat

And respiratory tract, nausea, vomiting, headache, dizziness, fatigue, and

Unconsciousness.

Ingestion Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

May cause nausea, vomiting. Do not ingest.

Fire & explosion This product will not ignite under normal situations but can be ignited in the extreme heat

associated with a fire. In a fire situation, exposed containers may build up pressure and burst explosively spewing hot material. Irritating and potentially harmful vapors may be

released in a fire or spill situation.

3. COMPOSITION / INFORMATION ON HAZARDOUS INGREDIENTS

Component	CAS-No.	Concentration
Vinyl Acetate	108-05-4	Less than 0.50%
Methanol	67-56-1	Less than 0.20%

4. FIRST AID MEASURES

Safety Data Sheet



Eye contact If product contacts eye, flush with water for at least 15 minutes and seek medical

attention immediately.

Skin contact If product contacts skin, wash affected area with soap and water. Seek medical attention

if irritation develops or persists. Launder contaminated clothing before reuse.

Inhalation Move subject to fresh air in case of accidental inhalation of vapors or decomposition

products. If symptoms persist, get medical attention promptly.

Ingestion If ingested, get immediate medical attention. Do not induce vomiting unless instructed to

do so by medical personnel. Never give anything by mouth to victim who is unconscious

or is having convulsions.

5. FIRE FIGHTING MEASURES

Hazardous combustion products

Incomplete combustion can yield carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Extinguishing media

Suitable extinguishing media Dry chemical, CO2, water spray or regular foam. Avoid using a direct

stream of water.

Fire fighting Firefighters should wear full protective clothing including self

equipment/instructions contained breathing apparatus.

Dust explosion hazardNone KnownSensitivity to static dischargeNone Known

Unusual fire & explosion There is the possibility of pressure buildup in closed containers when

hazards heated. Water spray may be used to cool the containers/

Flash point Non flammable

6. ACCIDENTAL RELEASE MEASURES

Emergency action Wear appropriate protective equipment and clothing during clean-up. Follow all Local,

State, Federal and Provincial regulations for disposal.

Containment procedures Isolate spill area. Stop discharge if safe to do so. Dike, if necessary, contain spill with

inert absorbent . Collect and contain for salvage or disposal. Keep spilled product from

contaminating soil or from entering sewers, watersheds or water streams.

Reporting See Federal reporting requirements listed in Section 15. We recommend you contact local

authorities to determine if there may be other local reporting requirements.

7. HANDLING AND STORAGE

For Commercial Use Only - Not Packaged or Labeled for Home Use!

Handling Avoid contact with skin and eyes. Wash thoroughly after handling. Avoid breathing

SDS 10-2510

fumes if this product is used at high temperatures. Use this product with adequate

ventilation.

Storage Protect from freezing – product stability may be affected.

Empty container precaution

Attention! Follow label warnings even after container is emptied since empty containers may retain product residues. In storage, monomer vapors will migrate from the emulsion and establish an equilibrium between the headspace in the storage container and the liquid emulsion. Levels in excess of acceptable exposures can accumulate in non –vented headspaces above the emulsion. All procedures appropriate for a confined space entry should be completed prior to performing any work in a bulk storage tank. Do not reuse empty container without professional cleaning for food, clothing, or products for human or animal consumption, or where skin contact can occur.



8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limit(s) Exposure limits are listed below, if they exist

Component	Regulation	Type of Listing	Value
Vinyl Acetate monomer	ACGIH	TLV	15 ppm
	ACGIH	TWA	10 ppm
	OSHA	STEL	20 ppm
Methanol	ACGIH TLV	TWA	200 ppm
		STEL	250 ppm
	OSHA PEL	TWA	200 ppm
			260 mg/m3

Engineering controls Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or

fumes that may be generated during handling or thermal processing.





Personal protective equipment

Eye protection Wear safety glasses to reduce the potential for eye contact. Chemical safety goggles are

appropriate if splashing is likely. Have eye washes available where eye contact can

occur.

Skin and body Prevent prolonged or repeated contact by using rubber gloves and appropriate protective

Protection clothing. Launder contaminated clothing before reuse.

Respiratory Not normally required. When fumes are generated and ventilation is not sufficient to

Protection effectively remove them, appropriate NIOSH/MSHA approved respiratory

protection must be provided.

General Eye wash fountain and emergency showers are recommended.

9. PHYSICAL & CHEMICAL PROPERTIES

Flash Point Not Applicable/ non flammable

Upper Flammable LimitNot DeterminedLower Flammable LimitNot DeterminedAutoignition PointNot Determined

Explosion Data Material does not have explosive properties

Vapor Pressure NA

PH 4.0 – 7.0 **Specific Gravity** 1.02

Bulk Density 8.0 - 9.2 lbs/ gallon

Water Solubility Miscible

Percent Solid Approx. 58 - 62% Percent Volatile Approx. 40%

%Volatile Organic Compounds Less than 2.00% by weight (less than 21.62 grams/liter)

Vapor Density < 1 Air = 1

Evaporation Rate < 1 Butyl Acetate = 1

Odor Slight

Appearance White Liquid

Viscosity Approx. 10,000 cps. @ 80F

Odor Threshold Not Determined
Boiling Point 100*C, 212*F (Typical)

Pour Point TemperatureMelting / Freezing Point

Not Determined

~ 0*C, ~ 32*F

The above data are typical values and do not constitute a specification. Vapor pressure data are calculated unless otherwise noted



10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Hazardous reactions/decompositions products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Hazardous polymerization Will not occur.

Conditions to avoid Not established

Stability Stable under normal conditions. This product may react with strong acids, bases

and oxidizing agents.

11. TOXICOLOGICAL INFORMATION

-ACUTE EXPOSURE-

Eye Irritation May cause eye irritation.

Skin Irritation Not expected to be a primary skin irritant. Repeated or prolonged skin contact may cause

irritation or dermatitis. Pre-existing skin conditions may be aggravated by prolonged or

repeated exposure.

Respiratory Irritation Exposure to vapors in poorly ventilated areas may cause irritation of the nose, throat, and

Respiratory tract, nausea, vomiting, drowsiness, dizziness, unconsciousness,

Dermal Toxicity Not established

Inhalation Toxicity Exposure to vapors in poorly ventilated areas may cause irritation of the nose, throat, and

Respiratory tract, nausea, vomiting, drowsiness, dizziness, unconsciousness.

Oral Toxicity Not established. Ingestion of this material may cause gastrointestinal irritations, nausea,

vomiting.

-CHRONIC EXPOSURE-

Chronic Toxicity No data available to indicate product is a chronic health hazard.

Carcinogenicity Vinyl acetate has been shown to cause tumors in laboratory tests with animals and

is categorized by the IARC as a group 2 carcinogen, and may probably be

carcinogenic to humans. Overexposure may increase cancer risk.

Mutagenicity No data available to indicate product is mutagenic or genotoxic.

Reproductive Toxicity Methanol is toxic to reproduction. Overexposure can increase risk. Overexposure

should not occur under normal industrial handling and use.

Tetratogenicity No data available to indicate product may cause birth defects.

12. ECOLOGICAL INFORMATION

There is no data available for this product

13. DISPOSAL CONSIDERATIONS

Safety Data Sheet



Environmental precautions: CAUTION: keep spills and cleaning runoff out of municipal sewers and open bodies of water.

It is the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable local, state and federal regulations.

Waste disposal Dispose of waste material according to Local, State, Federal, and Provincial

Environmental Regulations.

14. TRANSPORT INFORMATION

Not regulated as hazardous goods.

IATA

Not regulated as hazardous goods.

IMDG

Not regulated as hazardous goods.

15. REGULATORY INFORMATION

Workplace Classification

OSHA: This product is considered non-hazardous under the OSHA Hazard Communication

Standard (29CFR1910.1200)

WHMIS: This product is not a "controlled product" under the Canadian Workplace Hazardous

Materials Information System (WHMIS)

SARA TITLE III: Section 311/312 Categorizations (40CFR370):

This product is not a hazardous chemical under 29CFR 1910.1200, and therefore is not

covered by Title III of SARA

SARA TITLE III: Section 313 Information (40CFR372):

This product does contain a chemical which is listed in Section 313 at or above de

minimis concentrations.

Less than 0.20% Methanol CAS# 67-56-1 Vinyl Acetate CAS# 108-05-4 Less than 0.50%

CERCLA Information (40CFR302.4):

Releases of this material to air, land, or water are not reportable to the National Response Center under the Comprehensive Environmental Response, Compensation, and Liability

Act (CERCLA) or to state and local emergency planning committees under the Superfund Amendments and Reauthorization Act (SARA) Title III Section 304

US. Toxic Substances Control Act (TSCA):

All components of this product are in compliance with the inventory listing requirements

of the U.S. Toxic Substances Control Act (TCSA) Chemical Substance Inventory.

If this product contains any California Proposition 65 chemicals they will be listed below. State regulations

Unless a concentration is given, the chemicals listed below are present only in trace

amounts (less than 0.1%)

Formaldehyde (CAS# 50-00-0) Benzene (CAS# 71-43-2) Methanol (CAS #67-56-1) Less than 0.20% 1,4-Dioxane (CAS# 123-91-1) Acetaldehyde (CAS #75-07-0) Ethylene Oxide (CAS# 75-21-8)

Restriction of Hazardous The product(s) covered by this (M)SDS do not contain or are under the prescribed levels of prohibited substances listed under 2011/65/EU Hazardous Substances Restricted or **Substances (RoHS)**

Prohibited in Electrical Equipment, including lead (CAS # 7439-92-1), mercury (CAS #

SDS 10-2510

Safety Data Sheet



7439-97-6), cadmium (CAS # 7440-43-9), hexavalent chromium (CAS # 7440-47-3), polybrominated biphenyls (PBB) and polybrominated diphenyl ethers (PBDE).

International regulations This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and contains all the information required by the Controlled Products Regulations.

REACH Substances of Very High Concern (SVHC)

The product(s) covered by this (M)SDS does not include any of the substances above a concentration of 0.1% weight by weight (w/w) in the Candidate List of Substances of Very High Concern (SVHC) for authorization published or proposed by ECHA on the following dates:

- October 28, 2008 - June 18, 2014

- August 31, 2009 - December 17, 2014

- January 13, 2010 - June 16, 2015

- March 8, 2010 - December 16, 2015

- June 18, 2010 - June 20, 2016

- October 14, 2010 - January 12, 2017

- December 15, 2010 - July 7, 2017

- June 20, 2011

- December 19, 2011

- February 17, 2012

- June 18, 2012

- December 19, 2012

- June 20, 2013

Component CAS # Concentration

HMIS Ratings Health: 1

Flammability: 0 Reactivity: 0 Personal protection: B

16. OTHER INFORMATION

Issue date 012318.1

All statements, information and data presented herein are to the best of our knowledge and belief accurate and reliable as of the date complied. However, no representation, warranty or guarantee expressed or implied, is made as to its accuracy, reliability or completeness. It is the user's responsibility to determine the suitability and completeness of such information for the customer's particular end use. We do not accept liability for any loss or damage that may occur from the use of this information.