

Material Name: AeroWeb SDS 10-2621

# Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name: AeroWeb
Product Use: Adhesive
Manufacturer Information

Carlisle SynTec Systems 1285 Ritner Highway Carlisle, PA 17013

**USA** 

Phone: +1-800-479-6832

Emergency Phone #: +1-800-424-9300 (CHEMTREC)

**Supplier Information** 

Mule-Hide Products Co., Inc. 1195 Prince Hall Drive Beloit, WI 53511

USA

(800) 786-1492

## Section 2 - HAZARDS IDENTIFICATION

# Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Acute Toxicity - Inhalation: Category 5

Skin Irritation: Category 2 Eye Damage: Category 2A

Reproductive Toxicity: Category 2 STOT Repeated Exposure: Category 2

Aspiration: Category 1

Flammable Liquid: Category 2 Aquatic Hazard – Acute: Category 1 Aquatic Hazard – Long-term: Category 1 Extremely Flammable Aerosol: Category 1

#### **GHS Label Elements**

#### Symbol(s)











## Signal Word

Danger

#### **Hazard Statement(s)**

May cause respiratory irritation.

Causes skin irritation.

Causes serious eye irritation.

Suspected of damaging fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure.

May be fatal if swallowed and enters airways.

Highly flammable liquid and vapor.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

Page 1 of 8 Issue date: 2017-12-12 Revision 1.0 Print date: 2017-12-12



Material Name: AeroWeb SDS 10-2621

Contains gas under pressure; may explode if heated

### **Precautionary Statement(s)**

Keep away from heat/sparks/open flames/hot surfaces – no smoking.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Avoid release to the environment.

Use personal protective equipment as required.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lens, if present and easy to do. Continue rinsing.

#### POTENTIAL HEALTH EFFECTS

#### **Acute Effects**

**EYES:** Contact with eyes may cause irritation. Direct contact with liquid or vapors may cause stinging, tearing, redness, swelling, and eye damage.

**SKIN:** May cause skin irritation and/or dermatitis. Prolonged or repeated contact or exposure to vapors may cause redness, burning, and drying and cracking of the skin.

**INHALATION:** Breathing high concentrations of vapors may cause irritation of the nose and throat or signs of nervous system depression (i.e. – headache, nausea, drowsiness, dizziness, vomiting, loss of coordination and fatigue).

**INGESTION:** Ingestion may cause irritation of the digestive tract, nausea, vomiting, and signs of nervous system depression.

#### **Chronic Effects**

Avoid repeated exposure. May cause blood damage. Repeated contact may cause allergic reactions in very susceptible persons.

# **Aggravated Medical Conditions**

Pre-existing eye, skin, or respiratory disorders may be aggravated by exposure to this product.

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
79-20-9	Methyl acetate	22 – 40
142-82-5	Heptane	12 – 25
68476-86-8	Liquefied petroleum gas	5 – 15
115-10-6	Dimethyl ether	5 – 15
124-38-9	Carbon dioxide	1-7
108-88-3	Toluene	1 – 7

Any remaining ingredients (to comprise 100% of the product) should be considered a proprietary blend of non-hazardous substances, or materials below threshold reporting limits.

Page 2 of 8 Issue date: 2017-12-12 Revision 1.0 Print date: 2017-12-12



Material Name: AeroWeb SDS 10-2621

#### Section 4 - FIRST AID MEASURES

**GENERAL ADVICE:** Show this safety Data sheet to the doctor in attendance.

**EYES:** Flush with plenty of cool water for at least 15 minutes, holding eyelids apart for thorough irrigation. If irritation persists, get immediate medical attention.

**SKIN:** Wash affected area thoroughly with soap and water. Remove contaminated clothing and wash affected areas thoroughly with mild soap. If skin irritation persists, get immediate medical attention.

**INGESTION:** Do not induce vomiting – seek immediate medical attention. If vomiting occurs, keep head lower than hips to prevent aspiration.

**INHALATION:** Move to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen and get immediate medical attention.

**NOTES TO PHYSICIAN:** Treat symptomatically

#### Section 5 - FIRE FIGHTING MEASURES

#### **Extinguishing Media**

Carbon dioxide, dry chemicals, foam. Water may be helpful in keeping adjacent containers cool; avoid spreading the liquid with water used for cooling. Water-based sprinkler systems may help contain larger fires.

#### Specific Hazards arising from the Chemical

Closed containers may rupture if exposed to fire or extreme heat. May produce toxic fumes if burning.

**Special protective Equipment:** Wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### Section 6 - ACCIDENTAL RELEASE MEASURES

#### **Personal Precautions**

Use personal protective equipment. Remove all sources of ignition.

# **Environmental Precautions**

Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Local authorities should be advised if significant spillages cannot be contained.

#### **Methods for Clean-up**

Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

#### Other Information

None known.

Page 3 of 8 Issue date: 2017-12-12 Revision 1.0 Print date: 2017-12-12



Material Name: AeroWeb SDS 10-2621

## Section 7 - HANDLING AND STORAGE

## Handling

Use only in area provided with appropriate exhaust ventilation. Do not breathe vapors or spray mist. Wear appropriate personal protective equipment. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from open flames, hot surfaces and sources of ignition.

### Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from extremes of heat or cold. Keep in properly labeled containers.

# Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

## **Component Exposure Limits**

<b>Hazardous Components</b>	OSHA PEL	ACGIH TLV
Methyl acetate	200	200
Heptane	500	400
Liquefied petroleum gas	Not established	1000
Dimethyl ether	Not established	1000
Carbon dioxide	5000	5000
Toluene	200	20

## **Engineering Controls**

Ensure adequate ventilation, especially in confined areas.

### **Personal Protective Equipment**

### **Eye/face protection**

Safety goggles or glasses, or full face shield.

### **Skin Protection**

Protective gloves and impervious clothing. Consult the glove/clothing manufacturer for proper selection of materials.

### **Respiratory Protection**

In operations where exposure limits are exceeded, use a NIOSH-approved respirator that has been selected by a technically qualified person for the specific work conditions.

### **Hygiene Practices**

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling. When using, do not eat, drink or smoke.

Page 4 of 8 Issue date: 2017-12-12 Revision 1.0 Print date: 2017-12-12



Material Name: AeroWeb SDS 10-2621

## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Green liquid	Physical State	liquid
Odor	Solvent odor	Color	Green
VOC (g/L)	194	VOC (g/L) less exempt & water	248
Non-volatile (wt%)	30.05	Specific Gravity (g/l)	0.825
Bulk Density (lb/gal)	6.87	Solubility in Water	Insoluble
рН	Not available	Viscosity	Not available
Evaporation rate	Faster than nBuAc	Vapor Pressure (mmHg)	Not available
Vapor Density	Heavier than air	<b>Boiling Point</b>	-24.0°F [-31.1°C]
Freezing/Melting Point	Not determined	Flammability (solids)	No data
Partition Coefficient (n-octonal/water)	No data	Auto-ignition Temp	No data
<b>Decomposition Temp</b>	No data	<b>Explosive Properties</b>	No data
Oxidizing Properties	No data	Flash Point	156.0°F [104.4°C]
Flammable Limits	Lower: 2.23 Upper: 11.90		

## Section 10 - STABILITY AND REACTIVITY

### **Chemical Stability**

Stable under normal conditions. Hazardous polymerization does not occur.

#### **Conditions to Avoid**

Keep away from open flames, hot surfaces, static electricity and sources of ignition. Avoid extremes of heat or cold.

## Materials to Avoid

Incompatible with strong acids and bases, alkali metals, halogens, and strong oxidizing agents.

## **Hazardous decomposition products**

Thermal decomposition can lead to release of irritating gases and vapors. Carbon monoxide, carbon dioxide, smoke, and other unidentified organic compounds may be formed during combustion.

## **Possibility of Hazardous Reactions**

None under normal conditions of use.

Page 5 of 8 Issue date: 2017-12-12 Revision 1.0 Print date: 2017-12-12



Material Name: AeroWeb SDS 10-2621

# Section 11 - TOXICOLOGICAL INFORMATION

Reproductive Toxicity: Category 2 Acute Toxicity: Oral: No data; Skin: No data; Inhalation: Category 5

Mutagenicity: No data Irritation: Skin: Category 2

STOT-single exposure: No data Corrosivity: No data

STOT-repeated exposure: Category 2 Sensitization: Respiratory: No data; Skin: No data
Aspiration Hazard: Typical Routes of Entry: Inhalation, skin absorption, eye contact

## **Chronic Toxicity / Carcinogenicity**

No known classifications.

## Section 12 - ECOLOGICAL INFORMATION

Aquatic Toxicity: Acute and prolonged Toxicity to Fish: No data

Acute Toxicity to Aquatic Invertebrates: No data Environmental Fate and Pathways: No data

Persistence and Degradability: No data Bioaccumulative Potential: No data Mobility in Soil: No data Other Adverse Effects: No data

#### Section 13 - DISPOSAL CONSIDERATIONS

#### **Waste Disposal Methods**

Dispose of in accordance with all applicable local, state, and federal regulations. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit, and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

### Section 14 - TRANSPORT INFORMATION

# **US DOT Information:**

Shipping Name: CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S. (PROPANE, BUTANE)

Hazard Class: 2.1 UN/NA #: UN3501

**ICAO / IATA:** Contact the preparer for further information. **IMDG / IMO:** Contact the preparer for further information.

#### Section 15 - REGULATORY INFORMATION

**US TSCA:** Yes – All components are listed or exempt

**OSHA Regulatory Status:** This material is considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200)

Page 6 of 8 Issue date: 2017-12-12 Revision 1.0 Print date: 2017-12-12



Material Name: AeroWeb SDS 10-2621

#### **SARA 313**

Section 313 OF Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). If listed below, this product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical DesignationCas No.Weight %Toluene108-88-31-7%

# Clean Air Act, Section 112 Hazardous Air Pollutants (HAPS) (see 40 CFR 61)

Chemical DesignationCas No.Weight %Toluene108-88-31-7%

#### **State Regulations**

### California Proposition 65

This product contains the following substance(s) known to the state of California to cause cancer or reproductive harm:

Chemical NameCAS NumberToluene108-88-3Ethylbenzene100-41-4

### **Section 16 - OTHER INFORMATION**

#### **HMIS Rating**

Health: 2 Fire: 3 Reactivity: 0 Personal Protection B

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

#### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD -Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA -Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH -Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

Page 7 of 8 Issue date: 2017-12-12 Revision 1.0 Print date: 2017-12-12



Material Name: AeroWeb SDS 10-2621

## **Other Information**

#### **Disclaimer:**

The information contained herein is based upon data and information available to us, and reflects our best professional judgment. This product may be formulated in part with components purchased from other companies. No warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of such data or information. The results to be obtained from the use thereof, or that any such use does not infringe any patent, since the information contained herein may be applied under conditions of use beyond our control and with which we may be unfamiliar, we do not assume responsibility for the results of such application. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use.