

Page 1 of 12 Version: 1.1 Revision Date: 10/31/2016

ECHO COLORWAY TECHNOLOGY

1. CHEMICAL PRODUCT & COMPANY IDENTIFICATION

Product Brand Name: Echo Colorway Other Names/Synonyms: None Recommended Use: Sealant – Other, Professional Use Only Uses advised against: No information available

Manufacturer Contact Information Premier Building Solutions, Inc. 480 Nova Drive

480 Nova Drive Massillon, OH. 44646 Telephone: 330-244-2907 **Supplier Contact Information** Mule-Hide Products Co., Inc.

1195 Prince Hall Drive Beloit, WI 53511 (800) 786-1492

Emergency Telephone Number CHEMTREC: 1-800-424-9300 (24 hours) or 1-703-527-3887

2. HAZARDS IDENTIFICATION

GHS Classification



Classification: This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Emergency Overview: Signal word - Warning

Hazard Statements: Causes serious eye irritation

Appearance: Varies

Physical State: Paste Liquid

Odor: Mint-like

Precautionary Statements - Prevention

Wear protective gloves; Wash face, hands and any exposed skin thoroughly after handling; Wear eye/face protection; Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response



Page 2 of 12 Version: 1.1 Revision Date: 10/31/2016

ECHO COLORWAY TECHNOLOGY

Eyes

IF IN EYES: Rinse cautiously with water for several minutes; Remove contact lenses, if present and easy to do; continue rinsing; if eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage

None

Precautionary Statements - Disposal None

Hazards not otherwise classified (HNOC) Not applicable

<u>Unknown Toxicity</u> 67.91% of the mixture consists of ingredient(s) of unknown toxicity

Other information Very toxic to aquatic life with long lasting effects

Interactions with Other Chemicals No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance: Mixture Chemical Nature: MS

| CAS Number | * <u>Wt %</u> | Component Name |
|------------|---------------|-------------------|
| 1317-65-3 | 30 - 60 | Limestone |
| 471-34-1 | 10 - 30 | Calcium Carbonate |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

General Advice: Show this safety data sheet to the doctor in attendance.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.



Page 3 of 12 Version: 1.1 Revision Date: 10/31/2016

ECHO COLORWAY TECHNOLOGY

Skin Contact Wash with soap and water.

<u>Inhalation</u> Remove to fresh air.

Ingestion

Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Most important symptoms and effects, both acute and delayed

Burning sensation

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available

Uniform Fire Code

Irritant: Liquid

Hazardous Combustion Products Carbon oxides Explosion Data Sensitivity to Mechanical Impact: No

Sensitivity to Static Discharge: No

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.



Page 4 of 12 Version: 1.1 Revision Date: 10/31/2016

ECHO COLORWAY TECHNOLOGY

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Other Information

Refer to protective measures listed in Sections 7 and 8.

Environmental Precautions

<u>Environmental Precautions</u> Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

<u>Methods for Containment</u> Prevent further leakage or spillage if safe to do so.

<u>Methods for cleaning up</u> Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Products

None known based on information supplied

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

Exposure Guidelines



Page 5 of 12 Version: 1.1 Revision Date: 10/31/2016

ECHO COLORWAY TECHNOLOGY

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--------------------------------------|-----------|--|--|
| Limestone (CAS# 1317-65-3) | - | TWA: 15 mg/m ³ TWA: 5 mg/m ³ (vacated) TWA: 15 mg/m ³ (vacated) TWA: 5 mg/m ³ | TWA: 5 mg/m³ respirable dust TWA: 10 mg/m³ total dust |
| Calcium Carbonate (CAS# 471-34-1) | _ | TWA: 15 mg/m ³ TWA: 5 mg/m ³ (vacated) TWA: 15 mg/m ³ (vacated) TWA: 5 mg/m ³ | TWA: 5 mg/m³ respirable dust TWA: 10 mg/m³ total dust |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Showers Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Wear safety glasses with side shields (or goggles).

Skin and Body Protection

Wear protective gloves and protective clothing.

Respiratory Protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes, and clothing. Wear suitable gloves and eye/face protection.

9. PHYSICAL & CHEMICAL PROPERTIES



Page 6 of 12 Version: 1.1 Revision Date: 10/31/2016

ECHO COLORWAY TECHNOLOGY

Remarks Method

Physical Form: Paste, Liquid Color: Varies Odor: Mint-like Odor Threshold: No information available Appearance: Varies

Values

Property

| pH | UNKNOWN | None known |
|--|-------------------|------------|
| Melting / freezing point | No data available | None known |
| Boiling point / boiling range | No data available | None known |
| Flash Point | No data available | None known |
| Evaporation Rate | No data available | None known |
| Flammability (solid, gas) | No data available | None known |
| Flammability Limit in Air | | |
| Upper flammability limit | No data available | |
| Lower flammability limit | No data available | |
| Vapor pressure | No data available | None known |
| Vapor density | No data available | None known |
| Specific Gravity | 1.6 | None known |
| Water Solubility | No data available | None known |
| Solubility in other solvents | No data available | None known |
| Partition coefficient: n-octanol/water | No data available | None known |
| Autoignition temperature | No data available | None known |
| Decomposition temperature | No data available | None known |
| Kinematic viscosity | No data available | None known |
| Dynamic viscosity | No data available | None known |
| Explosive properties | No data available | |
| Oxidizing Properties | No data available | |
| | | |

Other Information

Softening Point VOC Content (g/L) Particle Size Particle Size Distribution

No data available 13 No data available No data available

10. STABILITY AND REACTITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions

Possibility of Hazardous Reactions



Page 7 of 12 Version: 1.1 Revision Date: 10/31/2016

ECHO COLORWAY TECHNOLOGY

None under normal processing

Hazardous Polymerization Hazardous polymerization does not occur

Conditions to avoid Moisture

Incompatible materials None known based on information supplied

Hazardous Decomposition Products Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation:

Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.

Eye Contact:

Specific test data for the substance or mixture is not available. Causes serious eye irritation (based on components). May cause redness, itching, and pain.

Skin Contact:

Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.

Ingestion:

Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------------------|--------------------|-------------|-----------------|
| Calcium Carbonate (CAS# 471-34-1) | = 6450 mg/kg (Rat) | - | - |

Information on toxicological effects



Page 8 of 12 Version: 1.1 Revision Date: 10/31/2016

ECHO COLORWAY TECHNOLOGY

Symptoms: May cause redness and tearing of the eyes

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization: No information available.

Mutagenic Effects:

No information available.

Carcinogenicity:

Contains no ingredients listed as a carcinogen

Reproductive Toxicity No information available

STOT - single exposure

No information available

STOT - repeated exposure

No information available

Chronic Toxicity

No known effect based on information supplied.

Target Organ Effects

Eyes. Skin. Respiratory system. Bladder.

Aspiration Hazard

No information available.

Numerical measures of toxicity

<u>The following values are calculated based on chapter 3.1 of the GHS document</u> ATEmix (oral) = 8,664.00 mg/kg ATEmix (dermal) = 90,335.24 mg/kg (ATE)

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Persistence and Degradability

No information available.



Page 9 of 12 Version: 1.1 Revision Date: 10/31/2016

ECHO COLORWAY TECHNOLOGY

Bioaccumulation No information available

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Dispose of contents/containers in accordance with local regulations.

14. TRANSPORT INFORMATION

| | NOT REGULATED er Shipping Name: ard Class: | Non Regulated N/A |
|----------------|--|----------------------|
| <u>TDG</u> | Not regulated | |
| <u>MEX</u> | Not regulated | |
| <u>ICAO</u> | Not regulated | |
| | Not regulated er Shipping Name: ard Class: | Non Regulated N/A |
| IMDG/I Haza | MO Not regulated ard Class: | N/A |
| <u>RID</u> | Not regulated | |
| <u>ADR</u> | Not regulated | |
| <u>ADN</u> | Not regulated | |



Page 10 of 12 Version: 1.1 Revision Date: 10/31/2016

ECHO COLORWAY TECHNOLOGY

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

| Acute Health Hazard: | Yes |
|------------------------------------|-----|
| Chronic Health Hazard: | No |
| Fire Hazard: | No |
| Sudden release of pressure hazard: | No |
| Reactive Hazard: | No |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

None reportable

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|---------------|------------|---------------|--------------|--------------|----------|
| 10 | | | | | 10-2117 |



Page 11 of 12 Version: 1.1 Revision Date: 10/31/2016

ECHO COLORWAY TECHNOLOGY

| Limestone (CAS# 1317-65-3) | х | Х | Х | |
|--------------------------------------|---|---|---|--|
| Calcium Carbonate (CAS# 471-34-1) | х | | | |

International Regulations

<u>Mexico</u>

| Component | Carcinogen Status | Exposure Limits |
|--------------------------------------|-------------------|---|
| Limestone (CAS# 1317-65-3) | | Mexico: TWA= 10 mg/m ³ Mexico: STEL= 20 mg/m ³ |
| Calcium Carbonate (CAS# 471-34-1) | | Mexico: TWA= 10 mg/m ³ Mexico: STEL= 20 mg/m ³ |

Mexico – Occupational Exposure Limits - Carcinogens

<u>Canada</u>

WHMIS Hazard Class Not Determined

16. OTHER INFORMATION

<u>NFPA</u>

| Health Hazards: | 2 |
|------------------------|---|
| Flammability: | 0 |
| Instability: | 0 |
| Physical/Chemical Haz. | - |

<u>HMIS</u>

| Health Hazards: | 2 |
|----------------------|---|
| Flammability: | 0 |
| Physical Hazard: | 0 |
| Personal Protection: | Х |



Page 12 of 12 Version: 1.1 Revision Date: 10/31/2016

ECHO COLORWAY TECHNOLOGY

Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

http://www.xtrabond.com