

# SAFETY DATA SHEET

This safety data sheet complies with the requirements of: GB/T 17519-2013

Issue Date 14-May-2015 Revision Date 20-May-2015 Version 1

**Product identifier** 

Product Name Mule-Hide Si 2 Part Epoxy Primer - Part A

Other means of identification

**Product Code** 

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Primers.

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address R.M. Lucas Company Supplier Address Mule-Hide Products, Co., Inc.

3211 South Wood Street Chicago, Illnois 60608 (773) 523-4300 1195 Prince Hall Drive Beloit, Wi 53511

(800) 786-1492

Emergency telephone number

**Emergency Telephone** For Hazardous Materials [or Dangerous Goods] Incident , Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300 USA and Canada: +1 703-527-3887

# 2. HAZARDS IDENTIFICATION

# Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Carcinogenicity	Category 1A

# Label elements

### **Emergency Overview**

### Danger

## Hazard statements

Harmful if swallowed
Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
May cause cancer





10-9560 Page 1/8

# Appearance Gray Liquid Physical state Liquid Odor Aromatic

## **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Specific treatment (see first aid information on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

# Other Information

Harmful to aquatic life with long lasting effects

Unknown acute toxicity 52% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### **Substance**

Chemical Name	CAS No.	Weight-%	Trade Secret
Silica, quartz	14808-60-7	20 - 30%	*
Bisphenol A - Epichlorohydrin polymer	25068-38-6	10 - 20%	*
Amorphous Silica (Silicon Dioxide)	7631-86-9	0 - 10%	*
Alkyl (C12-14) glycidyl ether	68609-97-2	0 - 10%	*
Titanium Dioxide	13463-67-7	0 - 10%	*

# 4. FIRST AID MEASURES

### **Description of first aid measures**

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water.

**Inhalation** Remove to fresh air.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

10-9560 Page 2/8

\_\_\_\_\_\_

# Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

**Environmental precautions** See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up the absorbed material (described just above) and transfer to properly labeled

containers for disposal according to local / national regulations (see Section 13).

#### 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible materials**None known based on information supplied.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

**Exposure Guidelines** 

Silica, quartz 14808-60-7	TWA: 0.025 mg/m³ respirable fraction	(vacated) TWA: 0.1 mg/m³ respirable dust : (30)/(%SiO2 + 2) mg/m³ TWA total dust : (250)/(%SiO2 + 5) mppcf TWA respirable fraction	IDLH: 50 mg/m³ respirable dust TWA: 0.05 mg/m³ respirable dust
		: (10)/(%SiO2 + 2) mg/m³ TWA respirable fraction	
Amorphous Silica (Silicon Dioxide) 7631-86-9	-	(vacated) TWA: 6 mg/m³ <1% Crystalline silica TWA: 20 mppcf : (80)/(% SiO2) mg/m³ TWA	IDLH: 3000 mg/m³ TWA: 6 mg/m³
Titanium Dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m³ total dust (vacated) TWA: 10 mg/m³ total dust	IDLH: 5000 mg/m <sup>3</sup>

**Appropriate engineering controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** No special technical protective measures are necessary.

**Skin and body protection**No special technical protective measures are necessary.

Respiratory protection If exposure limits are exceeded or irritation is experienced, a NIOSH/MSHA approved

respiratory protection should be worn.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Liquid

AppearanceGray LiquidOdorAromatic

Color No information available Odor threshold No information available

For exterior use only. Do not use indoors.

Property Values Remarks • Method

pH No information available
Melting point/freezing point No information available
Boiling point / boiling range No information available

Flash point

No information available NA °F

**Evaporation rate**Flammability (solid, gas)
No information available
No information available

Flammability Limit in Air

Upper flammability limit:

No information available

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
No information available

Water solubility Miscible in water

Solubility in other solvents No information available No information available Partition coefficient No information available Autoignition temperature **Decomposition temperature** No information available No information available Kinematic viscosity **Dynamic viscosity** No information available **Explosive properties** No information available **Oxidizing properties** No information available

**Other Information** 

10-9560 Page 4/8

\_\_\_\_\_\_

Softening point No information available Molecular weight No information available

VOC Content (%) None Density 1.57

Bulk density No information available

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

# Possibility of Hazardous Reactions

None under normal processing.

### **Conditions to avoid**

Extremes of temperature and direct sunlight.

# **Incompatible materials**

None known based on information supplied.

#### **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Product Information** No data available.

**Inhalation** No data available.

Eye contact No data available.

**Skin contact** No data available.

**Ingestion** No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Silica, quartz 14808-60-7	= 500 mg/kg(Rat)	-	-
Amorphous Silica (Silicon Dioxide) 7631-86-9	> 5000 mg/kg (Rat)	> 2000 mg/kg(Rabbit)	> 2.2 mg/L (Rat)1 h
Titanium Dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-

#### Information on toxicological effects

**Symptoms** No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available. **Germ cell mutagenicity** No information available.

Carcinogenicity The table below indicates whether each agency (ACGIH, IARC, NTP, or OSHA) has listed

any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Silica, quartz	A2	Group 1	Known	X
14808-60-7		-		
Amorphous Silica (Silicon	-	Group 3	-	-
Dioxide)		·		
7631-86-9				

Reproductive toxicity No information available.

\_\_\_\_\_\_

STOT - single exposureNo information available.STOT - repeated exposureNo information available.Aspiration hazardNo information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document For exterior use only. Do not use indoors.

**ATEmix (oral)** 936.00 **ATEmix (dermal)** 19,219.00

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

85% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Amorphous Silica (Silicon Dioxide)	440: 72 h Pseudokirchneriella	5000: 96 h Brachydanio rerio mg/L	7600: 48 h Ceriodaphnia dubia
7631-86-9	subcapitata mg/L EC50	LC50 static	mg/L EC50

# Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable local, regional, national and international

laws and regulations.

Not regulated.

Contaminated packaging Do not reuse container.

# 14. TRANSPORT INFORMATION

TDG Not regulated.

MEX Not regulated.

ICAO (air) Not regulated.

**IATA** Not regulated.

**IMDG** Not regulated.

RID Not regulated.

ADR Not regulated.

ADN Not regulated.

DOT

# 15. REGULATORY INFORMATION

### **International Inventories**

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

## **US State Regulations**

### **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Silica, quartz - 14808-60-7	Carcinogen
Titanium Dioxide - 13463-67-7	Carcinogen

#### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Silica, quartz 14808-60-7	Х	Х	Х
Amorphous Silica (Silicon Dioxide) 7631-86-9	Х	X	X
Titanium Dioxide 13463-67-7	Х	Х	Х

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards 2	Flammability 1	Instability 0	Physical and Chemical Properties -
<u>HMIS</u>	Health hazards 2	Flammability 1	Physical hazards 0	Personal protection X

Prepared By Prepared by Robert Barry

\_\_\_\_\_

Issue Date 14-May-2015
Revision Date 20-May-2015
Revision Note

No information available

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**