

# SAFETY DATA SHEET

This safety data sheet complies with the requirements of: GB/T 17519-2013

Issue Date No data available. Revision Date 20-May-2015 Version 1

**Product identifier** 

Product Name Mule-Hide Si 2-Part Epoxy Primer - Part B

Other means of identification

Product Code LUCAS 4015B

Synonyms None

Recommended use of the chemical and restrictions on use
Recommended Use
Uses advised against
No information available

Details of the supplier of the safety data sheet

Manufacturer Address R.M. Lucas Company Supplier Address Mule-Hide Products, Co., Inc.

3211 South Wood Street
Chicago, Illnois 60608
(773) 523-4300

Supplier Address
1195 Prince Hall Drive
Beloit, Wi 53511
(800) 786-1492

**Emergency telephone number** 

Emergency Telephone For Hazardous Materials [or Dangerous Goods] Incident, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300 USA and Canada: +1 703-527-3887

# 2. HAZARDS IDENTIFICATION

## Classification

**OSHA Regulatory Status** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Carcinogenicity	Category 1A

#### Label elements

**Emergency Overview** 

# Danger

Hazard statements
Harmful if swallowed
May cause cancer



Appearance Brown viscous liquid Physical state Liquid Odor Aromatic

**Precautionary Statements - Prevention**Obtain special instructions before use

SDS 10-9561 Page 1/8

### Mule-Hide Si 2-Part Epoxy Primer - Part B

\_\_\_\_\_

Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

- · May be harmful in contact with skin
- · Causes mild skin irritation
- · Toxic to aquatic life with long lasting effects

Unknown acute toxicity

72% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substance**

Chemical Name	CAS No.	Weight-%	Trade Secret
Modified Polyamidoamine Aduct	PROPRIETARY	20 - 30%	*
Amorphous Silica (Silicon Dioxide)	7631-86-9	10 - 20%	*
Talc	14807-96-6	10 - 20%	*
Silica, quartz	14808-60-7	0 - 10%	*
Xylene, mixed isomers, pure	1330-20-7	0 - 10%	*

## 4. FIRST AID MEASURES

## **Description of first aid measures**

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water.

**Inhalation** Remove to fresh air.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

#### Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SDS 10-9561 Page 2/8

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

**Environmental precautions** See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up the absorbed material (described just above) and transfer to properly labeled

containers for disposal according to local / national regulations (see Section 13).

### 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing.

**Incompatible materials**None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Amorphous Silica (Silicon Dioxide)	-	(vacated) TWA: 6 mg/m <sup>3</sup> <1%	IDLH: 3000 mg/m <sup>3</sup>
7631-86-9		Crystalline silica	TWA: 6 mg/m <sup>3</sup>
		TWA: 20 mppcf	
		: (80)/(% SiO2) mg/m³ TWA	
Talc	TWA: 2 mg/m³ particulate matter	(vacated) TWA: 2 mg/m³ respirable	IDLH: 1000 mg/m <sup>3</sup>
14807-96-6	containing no asbestos and <1%	dust <1% Crystalline silica,	TWA: 2 mg/m³ containing no
	crystalline silica, respirable fraction	containing no Asbestos	Asbestos and <1% Quartz
		TWA: 20 mppcf if 1% Quartz or	respirable dust
		more, use Quartz limit	
Silica, quartz	TWA: 0.025 mg/m³ respirable	(vacated) TWA: 0.1 mg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup> respirable dust
14808-60-7	fraction	respirable dust	TWA: 0.05 mg/m <sup>3</sup> respirable dust
		: (30)/(%SiO2 + 2) mg/m³ TWA	
		total dust	
		: (250)/(%SiO2 + 5) mppcf TWA	

SDS 10-9561 Page 3 / 8

For exterior use only. Do not use indoors.

		respirable fraction : (10)/(%SiO2 + 2) mg/m³ TWA respirable fraction	
Xylene, mixed isomers, pure 1330-20-7	STEL: 150 ppm TWA: 100 ppm	TWA: 100 ppm TWA: 435 mg/m³ (vacated) TWA: 100 ppm (vacated) TWA: 435 mg/m³ (vacated) STEL: 150 ppm (vacated) STEL: 655 mg/m³	-

#### **Appropriate engineering controls**

**Engineering Controls** Showers

> Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

No special technical protective measures are necessary. Eye/face protection

Skin and body protection No special technical protective measures are necessary.

If exposure limits are exceeded or irritation is experienced, a NIOSH/MSHA approved Respiratory protection

respiratory protection should be worn.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state

Brown viscous liquid Aromatic **Appearance** Odor

Color No information available **Odor threshold** No information available

Property Values Remarks • Method

pН No information available Melting point/freezing point No information available Boiling point / boiling range No information available

Flash point No information available **Evaporation rate** No information available Flammability (solid, gas) No information available

Flammability Limit in Air

**Upper flammability limit:** No information available No information available Lower flammability limit: No information available Vapor pressure No information available Vapor density No information available **Specific Gravity** 

Water solubility Miscible in water Solubility in other solvents No information available No information available **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive properties** No information available

Oxidizing properties No information available

Other Information

No information available Softening point Molecular weight No information available **VOC Content (%)** Less Than 100 g/l No information available Density

Page 4/8 SDS 10-9561

\_\_\_\_\_

Bulk density No information available

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

# **Conditions to avoid**

Extremes of temperature and direct sunlight.

## Incompatible materials

None known based on information supplied.

#### **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Product Information** No data available.

**Inhalation** No data available.

Eye contact No data available.

**Skin contact** No data available.

**Ingestion** No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Amorphous Silica (Silicon Dioxide) 7631-86-9	> 5000 mg/kg (Rat)	> 2000 mg/kg(Rabbit)	> 2.2 mg/L (Rat)1 h
Silica, quartz 14808-60-7	= 500 mg/kg(Rat)	-	-
Xylene, mixed isomers, pure 1330-20-7	= 4300 mg/kg ( Rat )	-	= 47635 mg/L (Rat)4 h

## Information on toxicological effects

**Symptoms** No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency (ACGIH, IARC, NTP, or OSHA) has listed

any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Amorphous Silica (Silicon Dioxide) 7631-86-9	-	Group 3	-	-
Talc 14807-96-6	-	Group 3	-	-
Silica, quartz 14808-60-7	A2	Group 1	Known	Х
Xylene, mixed isomers, pure 1330-20-7	-	Group 3	-	-

Reproductive toxicity
STOT - single exposure
No information available.
No information available.

\_\_\_\_\_\_

STOT - repeated exposure
Aspiration hazard
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document For exterior use only. Do not use indoors.

ATEmix (oral) 1,389.00 ATEmix (dermal) 2,326.00 ATEmix (inhalation-dust/mist) 8.40

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

70% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Amorphous Silica (Silicon Dioxide) 7631-86-9	440: 72 h Pseudokirchneriella subcapitata mg/L EC50	5000: 96 h Brachydanio rerio mg/L LC50 static	7600: 48 h Ceriodaphnia dubia mg/L EC50
Talc 14807-96-6	-	100: 96 h Brachydanio rerio g/L LC50 semi-static	-
Xylene, mixed isomers, pure 1330-20-7	-	13.4: 96 h Pimephales promelas mg/L LC50 flow-through 2.661 - 4.093: 96 h Oncorhynchus mykiss mg/L LC50 static 13.5 - 17.3: 96 h Oncorhynchus mykiss mg/L LC50 13.1 - 16.5: 96 h Lepomis macrochirus mg/L LC50 flow-through 19: 96 h Lepomis macrochirus mg/L LC50 7.711 - 9.591: 96 h Lepomis macrochirus mg/L LC50 static 23.53 - 29.97: 96 h Pimephales promelas mg/L LC50 static 780: 96 h Cyprinus carpio mg/L LC50 semi-static 780: 96 h Cyprinus carpio mg/L LC50 30.26 - 40.75: 96 h Poecilia reticulata mg/L LC50 static	3.82: 48 h water flea mg/L EC50 0.6: 48 h Gammarus lacustris mg/L LC50

### Persistence and degradability

No information available.

# **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Xylene, mixed isomers, pure	3.15
1330-20-7	

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

**Disposal of wastes**Disposal should be in accordance with applicable local, regional, national and international

laws and regulations.

**Contaminated packaging** Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Xylene, mixed isomers, pure	-	Included in waste stream:	-	U239
1330-20-7		F039		

Chemical Name	California Hazardous Waste Status
Xylene, mixed isomers, pure	Toxic
1330-20-7	Ignitable

# **14. TRANSPORT INFORMATION**

**DOT** Not regulated.

TDG Not regulated.

MEX Not regulated.

ICAO (air) Not regulated.

IATA Not regulated.

IMDG Not regulated.

RID Not regulated.

ADR Not regulated.

ADN Not regulated.

## 15. REGULATORY INFORMATION

## **International Inventories**

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Xylene, mixed isomers, pure - 1330-20-7	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Xylene, mixed isomers, pure 1330-20-7	100 lb	-	-	Х

\_\_\_\_\_

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Xylene, mixed isomers, pure	100 lb	-	RQ 100 lb final RQ
1330-20-7			RQ 45.4 kg final RQ

# **US State Regulations**

# **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
Silica, quartz - 14808-60-7	Carcinogen	

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Amorphous Silica (Silicon Dioxide) 7631-86-9	Х	X	Х
Talc 14807-96-6	Х	X	X
Silica, quartz 14808-60-7	Х	X	X
Xylene, mixed isomers, pure 1330-20-7	Х	X	Х

#### U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 1 Instability 0 Physical and Chemical

Properties 
HMIS Health hazards 2 Flammability 1 Physical hazards 0 Personal protection X

Prepared By Prepared by Robert Barry

Revision Date 20-May-2015

**Revision Note** 

No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**