# Product Data Sheet Canted Coping



# **Description:**

The canted coping offers a complete finish to any parapet wall. Coping is pitched to the inside of the roof plane ensuring that water will drip back towards the roof instead of down the front of the building. The system uses a continuous cleat for high wind up-lift resistance leading to perimeter edge integrity.

- Fabricated in 10' lengths; widths customized to specification.
- Pre-punched continuous cleats help ensure proper fastener placement; back leg is secured with screws.
- 6" concealed splice plate allows for expansion and contraction.
- Riveted inside and outside miters and end caps are available.

Contact Mule-Hide to request a color chart, samples and information regarding custom metals and finishes.

#### **Energy Efficiency:**

The canted coping is LEED<sup>®</sup> and ENERGY STAR<sup>®</sup> compliant and is 100% recyclable.

#### Installation:

- 1. A wood nailer attached to the top of the parapet wall is required.
- 2. This nailer should be attached to the wall in accordance with ANSI/SPRI ES-1 3.9.
- 3. Install the canted coping in accordance with Mule-Hide Detail MHSM-5052.
- 4. Any deviation from the requirements set forth in the detail drawings must be pre-approved, in writing, by the Mule-Hide Technical Department.

## **Codes and Standards:**


ANSI/SPRI ES-1 Compliant up to 16" wall width.

## Warranty:

Mule-Hide metal accessories are eligible for warranty coverage when properly installed as part of a Standard or Premium warrantable system. Please visit our Web site or call us for more information.

# **Technical Services:**

Product samples, detail sheets, color chips, and color chart are available for your submittal package. For assistance with questions or submittals, contact your local representative or call Mule-Hide.



Material	Gauge	Finish
Aluminum	.040 / .050	Mill or Kynar <sup>®</sup>
Stainless Steel	24-gauge	N/A
Bonderized Steel	24-gauge	N/A
Galvalume	24-gauge	Mill or Kynar <sup>®</sup>

09-9075

Revised 8/29/2012