

FIGURE 1
INSTALLATION USING 4" O.C.
BEADS ON 4' X 4' BOARDS




FIGURE 2
RECOMMENDED WEIGHT
PLACEMENT ON 4' X 4' BOARDS




FIGURE 3
INSTALLATION USING 4" O.C.
BEADS ON 4' X 8' BOARDS




FIGURE 4
RECOMMENDED WEIGHT
PLACEMENT ON 4' X 8' BOARDS

INSULATION TYPE	MAXIMUM BOARD SIZE
HIGH DENSITY WOOD FIBERBOARD	4' X 4'
POLYSOCYANURATE	4' X 4'
EXTRUDED POLYSTYRENE (XPS)	2' X 8'
EXPANDED POLYSTYRENE (EPS)	4' X 4'
DENS DECK PRIME	4' X 8'
SECURROCK	4' X 8'
ORIENTED STRAND BOARD (OSB)	4' X 8'

* SEE HELIX MAX PRODUCT DATA SHEET FOR
COVERAGE RATES

**MULE-HIDE
PRODUCTS CO., INC.**

**HELIX MAX FOAM ADHESIVE
4" RIBBON PATTERN
SYSTEMS:**

ALL SYSTEMS

**DETAIL NO.:
MHHA-UN-4**

REVISION DATE: 09/2019